




MARTINTM
D O O R

*"The World's Finest, Safest Doors"*TM

SINCE 1936




Looks like wood, built like wood,



Front Cover: - SP119X - Bottom - Athena Custom-SP 162-Faux over Faux 909 Dark - Athena 211 Frosted Glass - Long Panel White - Flush, A

111 / V-Angle / 63 Windows / Dark Brown

made of steel. Now with Angles!



- Martin's steel garage door looks exactly like wood, without the upkeep or cost.
- Stiles and rails are bolted together, not glued, not overlaid, so they can not delaminate.
- True 3/4" panel depth.

Ash Woodgrain, Side Lights - Pinnacle 64 - Long Panel Bronze

The steel Pinnacle, now with angle stiles, provides the same beautiful look as aluminum and wood but costs up to 40% less.

PREMIUM

PREMIUM STEEL CORNERSTONE

Pages 6 - 11

- Cornerstone: 4-Section 7' (2134) High
- 24 Gauge · Lifetime Warranty*



82 Steel-Framed Windows / Short Panel / White Mist



Flush Panel / Light Almond

CLASSIC

MARTIN STANDARD

Pages 12 - 15

- 4-Section 8' (2438) High · 25 Gauge
- 5 Year Warranty*



Oxford Windows / Long Panel / White Mist

ELITE

ATHENA ALL GLASS

Pages 16 - 21

- Aluminum Athena · Steel Athena
- Martin Premium Hardware
- Lifetime Warranty*



STEEL

231 / White Laminate Windows / Traffic White



ALUMINUM

212 / White Laminate Windows / Desert Bronze

FRENCHPORTE

Pages 20 - 21

- Aluminum or Steel · Martin Premium Hardware
- Lifetime Warranty*



Kendra / Smoked Windows / White Mist

ELITE

PINNACLE CARRIAGE HOUSE

Pages 22 - 31

- Aluminum Pinnacle • Steel Pinnacle
- Martin Premium Hardware
- Lifetime Warranty*



ELITE

CHALET & COPPER

Pages 32 - 37

- Composite Wood • Copper
- Martin Premium Hardware
- Lifetime Warranty*



! To design your door online visit: design.martindoor.com

CORNERSTONE

GOLD
MEDAL
WINNER

Safety, quality and durability have always been Martin's first priority. This traditional door is no exception, a beautiful door built to last.

Flush Panel (No Rib) / Walnut Wood Grain Steel

34 Steel-Framed Frosted Windows / Long Panel / Gray White / With Antique Hardware



Ribbed Panel / Terra Brown



83 Steel-Framed Smoked Windows / Grooved Panel / Walnut Wood Grain Steel

CORNERSTONE



Flush Panel (No Rib) / Desert Taupe

83 Steel-Framed Smoked Windows / Short Panel / Walnut Wood Grain Steel





Full View Long Windows / Flush Panel (No Rib) / Ash Wood Grain



Sun Windows / Short Panel / Desert Taupe

CORNERSTONE



Flush Panel (No Rib) / Sandcast Bronze / With Antique Hardware




70 Steel-Framed Smoked Windows / Long Panel / Walnut Wood Grain Steel


Lifetime Warranty[†]

PANEL STYLES[†]


24 gauge steel. 4-section 7' [2134] high. Optional wide center style available.




Long



Short



Grooved



Ribbed



Flush [◇] (No Rib)

COLORS[†]

Long-lasting baked-on enamel paint.

STEEL PAINT COLORS^{*}



STEEL WOOD GRAIN^{*}



POWDER COAT COLORS^{^†}

[See full list of colors on pages 42 - 43]



[^] Powder coated doors are insulated.
[†] See manufacturer's written warranty for details and limitations.
[◇] Flush doors available in smooth when powder coated. Call factory for details.

INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 R8 Steel + Insulation + Vinyl

i3 R8 Steel + Insulation + Steel

i4 R14 Steel + 2 Insulation Layers + Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 46)

P Martin Premium Hardware Package - Lifetime Warranty[†]

S Martin Standard Hardware Package - 5 Year Warranty[†]

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.

(See pages 38 - 39)

WINDOW TINT

Insulated glass options are available on most window types.

(See p. 38 for full tint options) Glass and acrylic have different tints.

GLASS / ACRYLIC

LAMINATE



Clear



Frosted



Bronze
(Tinted)



Gray
(Tinted)



Smoked
(Tinted)



Clear



White

EXTRA OPTIONS

(More information on page 44)

MAIL SLOTS

VENTS

INSIDE LOCK

T-HANDLE LOCK

VAULT RELEASE

ANTIQUE HARDWARE

SECTION JOINT



Tongue & Groove Joint
Industry standard tongue and groove joint.



Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.



Flush Panel (No Rib) / White Mist



V-Groove / Short Panel / Dark Brown



Ribbed Panel / Oxide Red

MARTIN STANDARD

Value priced doors with classic designs, durable and virtually maintenance free.



Short Panel / White Mist


68 Steel-Framed Smoked Windows / Grooved Panel / Desert Taupe





Grooved Panel / Light Almond

Canterbury Windows / Long Panel / Dark Brown



MARTIN STANDARD




Grooved Panel / Dark Brown




Long Panel / White Mist / Full Windows / With Antique Hardware

PANEL STYLES[†]


25 gauge steel. 4-section 8' (2438) high.



Long



Short



Grooved

(For any other Tongue & Groove joint panels, please see the commercial line)

COLORS

Long-lasting baked-on enamel paint.

STEEL PAINT COLORS - 5 Year Warranty[†]



White Mist

Light Almond

Dark Brown

Desert Taupe

POWDER COAT COLORS^{^†}

(See full list of colors on pages 42 - 43)



INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 R8 Steel + Insulation + Vinyl

i3 R8 Steel + Insulation + Steel

i4 R14 Steel + 2 Insulation Layers + Steel

[^] Powder coated doors are insulated.

[†] See manufacturer's written warranty for details and limitations.

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.
(More information on page 46)



Martin Premium Hardware Package - Lifetime Warranty[†]



Martin Standard Hardware Package - 5 Year Warranty[†]

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.
(See pages 38-39)

WINDOW TINT

Insulated glass options are available on most window types.
(See p. 38 for full tint options) Glass and acrylic have different tints.

GLASS / ACRYLIC



Clear



Frosted



Bronze
(Tinted)



Gray
(Tinted)



Smoked
(Tinted)

LAMINATE



Clear



White

EXTRA OPTIONS

(More information on page 44)

- MAIL SLOTS
- VENTS
- T-HANDLE LOCK
- INSIDE LOCK
- VAULT RELEASE
- ANTIQUE HARDWARE

SECTION JOINT



Tongue & Groove Joint
 Industry standard tongue and groove joint.




Safety Joint
 Martin safety joint helps protect fingers and hands from serious injury.

DOOR HEIGHT EXAMPLES[^]

For heights above 8' 9" (2667) refer to door height examples on page 41.

MEASUREMENTS:
 18" = 457 mm
 21" = 533 mm
 24" = 610 mm



[^] Please note that the Martin Standard and the Cornerstone tongue and groove joint 8' (2438) is 4 sections vs 5 section for the 8' Safety Joint Cornerstone.

ATHENA

The modern design of glass allows natural light while providing you with security and privacy. Beauty and elegance are at your fingertips.





ALUMINUM ATHENA



211 / Clear Windows / Signal White

231 / Smoked Windows / Rusty Iron



STEEL ATHENA



232 / Smoked Windows / Bronze



211 / Frosted Windows / Stone Grey

ATHENA / FRENCHPORTE




- Lifetime Warranty[†]


ATHENA PANEL STYLES[†]

24 gauge steel or aluminum

8' - 10'2" [2438 - 3099]




211




212

10'3" - 15'2" [3124 - 4623]




221




222

15'3" - 20'2" [4648 - 6147]



231




232


Available in aluminum only.



201 8' [2438] Max Width




211 Wide




211 Wide 16' 2" [4927] Max Width

FRENCHPORTE PANEL STYLES[†]




Available in aluminum only




Christina




Jennifer





24 gauge steel or aluminum



Kendra



Madeleine



COLORS⁺

STEEL PAINT COLORS⁺



STEEL WOOD GRAIN⁺



POWDER COAT FINISHES⁺ (STEEL OR ALUMINUM)

[See full list of colors on pages 42 - 43]



TEXTURE

Smooth or embossed textures are available on this door.
[Embossed comes standard. Smooth doors are powdercoated]



ANODIZED ALUMINUM FINISH

A natural looking, durable and corrosion-resistant finish. Other colors available upon request.



INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

[R-value represents rails only. Total door r-value will vary depending on glass type.]



Insulated Steel Frame Upgrade

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

[More information on page 46]



Martin Premium Hardware Package

WINDOW TINT


Insulated glass options are available on most window types.

[See p. 38 for full tint options] Glass and acrylic have different tints.

GLASS / ACRYLIC



LAMINATE



SECTION JOINT



Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

EXTRA OPTIONS

[More information on page 44]

- MAIL SLOTS
- T-HANDLE LOCK
- VAULT RELEASE
- VENTS
- INSIDE LOCK
- ANTIQUE HARDWARE

* Available in steel only.


ALUMINUM PINNACLE

Built like carriage house doors, but without the high maintenance associated with wood. Many stunning handmade designs to choose from.



115 / Clear Windows / Signal White

9 / Custom Arch / Dark Bronze / With Antique Hardware





63 / Clear Windows / Pure White / With Antique Hardware



66 / Smoked Windows / Rusty Iron / With Antique Hardware

STEEL PINNACLE

PATENTED DESIGN



163 / Smoked Windows / Iron Glimmer

168 / Smoked Windows / Pure White





173 V-Groove / Smoked Windows / Double Stile / True Bi-Directional Walnut Wood Grain Steel



183 V-Groove / Clear Windows / True Bi-Directional Ash Wood Grain Steel

PINNACLE



181 / V-Groove Design / Double Center Stile / Walnut Wood Grain Steel



34 / Smoked Windows / Desert Bronze / With Antique Hardware

- Lifetime Warranty[†]

BASE MATERIAL[†]

24 gauge steel or aluminum

(More panel styles on page 28 - 31)

GROOVE OPTIONS

V-A-X ANGLE OPTIONS

Angle and Groove options can be combined. (steel only)



V-Groove Short Panel



V-Groove Short Panel



H-Groove Short Panel



H-Groove Short Panel



H-Groove Long Panel



H-Groove Long Panel



V-pattern



V-pattern



A-pattern



A-pattern



X-pattern




X-pattern

FACE STILE OPTIONS[†]

Additional options available upon request



Short Panel DD



Short Panel S DD S



Short Panel DD DD DD



Long Panel DD



Long Panel S DD S



Long Panel DD DD DD



Available with or without windows. Additional configurations available upon request. Above is an example of a v-groove, v-angle, double center stile door with windows, hinges and handles.

STEEL COLOR OPTIONS[†]

Long-lasting baked-on paint.

STEEL PAINT COLORS[†]



STEEL WOOD GRAIN[†]




POWDER COAT FINISHES[†] (STEEL OR ALUMINUM)

[See full list of colors on pages 42 - 43]



DUO-TONE FINISH OPTION

Duo-Tone finish allows you to combine two color choices on one Pinnacle door. Choose two complementing finishes to enhance the look of your home. [See available finishes and full list of colors on pages 42 - 43]



Ash Wood Grain & Desert Bronze Signal Brown & Mahogany Brown Walnut & Weathered Grey Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.



P Martin Premium Hardware Package

TEXTURE

Smooth or embossed textures are available on this door. [Embossed comes standard. Smooth doors are powdercoated]



INSULATION

Add insulation with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.



i3 R8 Steel + Insulation + Steel



i3 R8 Aluminum + Insulation + Steel



iF R14 Insulated Steel Frame Upgrade


WINDOW TINT

Insulated glass options are available on most window types. [See p. 38 for full tint options] Glass and acrylic have different tints.

GLASS / ACRYLIC



LAMINATE



SECTION JOINT



Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

EXTRA OPTIONS

[More information on page 44]

- MAIL SLOTS
- T-HANDLE LOCK
- VAULT RELEASE
- VENTS
- INSIDE LOCK
- ANTIQUE HARDWARE

* Available in steel only.

† See manufacturer's written warranty for details and limitations.

PINNACLE PANEL STYLES

ALUMINUM ONLY


ALUMINUM ONLY

	8' - 10'2"	10'3" - 15'2"	15'3" - 22'	8' - 10'2"	10'3" - 15'2"	15'3" - 22'	
FULL HEIGHT							
	61	71	81	11	21	31	
	NO ARCH						
62		72	82	12	22	32	
63		73	83	13	23	33	
68		69	70	18	19	20	
64		74	84	14	24	34	
SINGLE ARCH							
		65	75	85	15	25	35
	66	76	86	16	26	36	
	67	77	87	17	27	37	
	DOUBLE ARCH						
		88	89	28	38	40	
80		90	90	29	39	40	
CHICAGO							
	8	9	10	5	6	7	

PINNACLE PANEL STYLES

ALUMINUM / STEEL / H-GROOVE / (V-A-X ANGLE STEEL ONLY)

ALUMINUM / STEEL / H-GROOVE / V-GROOVE





FULL HEIGHT

NO ARCH

ALUMINUM ONLY

ALUMINUM ONLY



SINGLE ARCH

DOUBLE ARCH

LONG PANEL

SHORT PANEL

MEASUREMENTS:


8'-10'2" widths = [2438-3099]
 10'3"-15'2" widths = [3124-4623]
 15'3"-22' widths = [4648 - 6706]

STANDARD RADIUS:



V-A-X ANGLE OPTIONS

Angle and Groove options can be combined.



111 / 63 Windows / H-Groove / A-Angle / Ash Wood Grain

STEEL LONG PANEL V-ANGLE

8' - 10'2"	10'3" - 15'2"	15'3" - 18'
111V	121V	131V
112V	122V	132V
113V	123V	133V
118V	119V	120V
114V	124V	134V

FULL HEIGHT
NO ARCH

STEEL LONG PANEL A-ANGLE

8' - 10'2"	10'3" - 15'2"	15'3" - 18'
111A	121A	131A
112A	122A	132A
113A	123A	133A
118A	119A	120A
114A	124A	134A

STEEL LONG PANEL X-ANGLE

8' - 10'2"	10'3" - 15'2"	15'3" - 18'
111X	121X	131X
112X	122X	132X
113X	123X	133X
118	119	120
114	124	134

FULL HEIGHT
NO ARCH


Angle and Groove options can be combined.

GROOVE OPTIONS

Angle and Groove options can be combined.




STEEL LONG PANEL H-GROOVE



FULL HEIGHT

NO ARCH


STEEL SHORT PANEL V-GROOVE



FULL HEIGHT

NO ARCH

STEEL SHORT PANEL H-GROOVE



Angle and Groove options can be combined.

CHALET

The look and feel of our composite wood is so realistic with its natural texture and detailed wood grain you will think it's made from real wood. It's more durable and easier to maintain as well.

composite wood over composite wood



CHALET

NOW AVAILIABLE WITH WINDOWS



CHALET

- Lifetime Warranty†

PANEL STYLES†

24 gauge steel. -
[See page 35]

WOOD COLORS

Choose between two wood species and 6 long-lasting wood stains.

WOOD STAINS - 5 Year Warranty†

WOOD SPECIES



STEEL COLOR OPTIONS†

Long-lasting baked-on paint.
[See full list of colors on pages 42 - 43]

STEEL PAINT COLORS*

STEEL WOOD GRAIN*



FINISH OPTIONS

Combine two color choices on one Chalet door. Choose two complementary finishes to enhance the look of your home.

[See available finishes and full list of colors on pages 42 - 43]



INSULATION

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

- i4 R14** Steel + 2 Insulation Layers + Steel
- i4 R18** Cladding + Steel + 2 Insulation Layers + Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

[More information on page 46]

- P** Martin Premium Hardware Package

SECTION JOINT



Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

EXTRA OPTIONS

[More information on page 44]


- MAIL SLOTS
- VAULT RELEASE
- VENTS
- INSIDE LOCK
- ANTIQUE HARDWARE

CHALET PANEL STYLES


Custom designs available upon request. (See pages 38-39 for window options.)

8'-10'2" (2438 - 3099)

15'3" - 22' (4648 - 6706)




9000




9001




9000D




9001D




9002




9003




9002D




9003D




9004




9005




9004D




9005D




9006




9007




9006D




9007D




9008




9009




9008D




9009D




9010




9011




9010D




9011D




9012



9013



9012D



9013D

Double-wide, non-D options available but not shown.

COPPER

Made from the purest copper, these unique doors offer a rare and distinctive look that will naturally patina, developing with time a breathtaking look.



Flush Panel (No Rib) / Copper / Commercially Aged




Long Panel / Copper


COPPER

PANEL STYLES[†]


 - Lifetime Warranty[†] 99.9% Copper Metal.




Long




Short




Ribbed



Grooved



Flush (With Rib)



Flush (No Rib)


HARDWARE



Powder Coated Hardware

All Copper model doors come with a white powder coated track and hardware.

COLOR



Installed with new copper and in time, the copper door will naturally patina. Patina rates will vary depending on environment.

99.9% Copper Metal

CLASSIC WINDOWS

Available in acrylic, tempered glass and insulated glass.

[See pages 38 - 39]

WINDOW TINT

Insulated glass options are available on most window types.

[See p. 38 for full tint options] Glass and acrylic have different tints.

GLASS / ACRYLIC



Clear



Frosted



Bronze
(Tinted)



Gray
(Tinted)



Smoked
(Tinted)

LAMINATE



Clear



White

INSULATION*

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

i4 R14 Copper + 2 Insulation Layers + Steel

i3 R8 Copper + Insulation + Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

[More information on page 46]



P Martin Premium Hardware Package

SECTION JOINT



Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.

EXTRA OPTIONS

[More information on page 44]

- MAIL SLOTS
- VAULT RELEASE
- T-HANDLE LOCK
- VENTS
- INSIDE LOCK
- ANTIQUE HARDWARE

[†] See manufacturer's written warranty for details and limitations.

* i3 Insulation comes standard

PATENTED DESIGN

STEEL-FRAMED WINDOWS

Martin's innovative window design provides proper wood grain direction and exact color match with other steel door sections.

8' - 10'2" [2438 - 3099]



12



13



14



62



63



64




68

10'3" - 15'2" [3124 - 4623]



22



23



24



72



73



74



69

15'3" - 18' 2" [4648 - 5537]



32



33



34



82



83




84




70

WINDOW OPTIONS

WINDOW HEIGHT
15" - 30" [381 - 762]





CENTER STYLE WIDTH
3" - 7" [76 - 177]




WINDOW TINT & LAMINATE OPTIONS

[Simulated color. In some cases glass tint is lighter than acrylic tint.]



INSULATED WINDOW OPTIONS




INSULATED GLASS

Upgrade your Steel-Framed windows with insulated glass.

CLASSIC WINDOWS

Martin Classic Windows come in a variety of beautiful choices.




FRAME TYPES


- Windows and inserts engineered for superior strength and durability
- Custom Painted and UV stable to prevent discoloring and cracking
- Easy to remove window inserts for trouble-free cleaning

Optional - Aluminum Outside Frame that can be Powder-coated with your door for a perfect match.


NON-INSULATED DOOR WITH GLASS OR ACRYLIC



INSULATED DOOR WITH GLASS OR ACRYLIC




INSULATED DOOR AND GLASS



INSULATION

Insulation increases thermal efficiency, helps decrease noise levels and improves the appearance of the door interior. Choose steel backed insulation for durability and minimal upkeep.

ATHENA & PINNACLE




Pinnacle Panels
Polystyrene insulation with heavy-gauge color-matched steel backing.

iF **R14** ◊

Athena & Pinnacle Rails
Polyurethane insulated rails.

CHALET



i4 **R14** i4 **R18**

(Cladding) + Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and 1-layer of thermal insulation.

CORNERSTONE & STANDARD



N1

Steel

2" (51) Thick door construction.



i2 **R8**

Steel + Insulation + Vinyl


Polystyrene insulation with vinyl paneled backing.



i3 **R8**

Steel + Insulation + Steel

Polystyrene insulation with heavy-gauge steel paneled backing.




i4 **R14**

Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and 1-layer of thermal insulation.

PROTECTIVE SYSTEM



Martin Multi-layered baked-on enamel paint ensures superior corrosion resistance and a durable finish.




DOOR HEIGHT EXAMPLES[^]

SAFE JOINT

♦ Not all panel styles allow for windows. Choose Steel-framed windows for exact color match.



TONGUE AND GROOVE



MEASUREMENTS:
 18" = 457 mm
 21" = 533 mm
 24" = 610 mm

[^]Please note that the Martin Standard and the Cornerstone tongue and groove joint 8' (2438) vs 4 sections vs 5 section for the 8' Safety Joint Cornerstone.

SELECT POWDER COAT FINISHES

Martin's powder coat finishes are long-lasting and durable.

SOLID



Sapphire Blue*
RAL 5003



Azure Blue*
RAL 5009



Pigeon Blue*
RAL 5014



Dark Brown
CS 0003



Beige Gray*
RAL 7006



Desert Taupe
CS 0005



Stone Gray
RAL 7030



Silk Gray
RAL 7044



Platinum Gray*
RAL 7036



Telegray 4
RAL 7047



Signal Red
RAL 3001



Wine Red
RAL 3005



Jet Black
RAL 9005



Black Gray
RAL 7021




Slate Gray
RAL 7015




Basalt Gray*
RAL 7012




Window Gray
RAL 7040



White Mist
CS 0001



Traffic White
RAL 9016



Signal White
RAL 9003



Brown Red
RAL 3011



Oxide Red
RAL 3009



Red Brown
RAL 8012



Signal Brown*
RAL 8002



Copper Brown*
RAL 8004



Beige Red*
RAL 3012



Beige*
RAL 1001



Light Ivory*
RAL 1015




Oyster White
RAL 1013



Pure White
RAL 9010



Fir Green
RAL 6009



Brown Green*
RAL 6008



Black Green*
RAL 6012



Moss Green
RAL 6005



Pine Green*
RAL 6028



Dark Bronze
CS 4035



Dark Chocolate
CS 3070



Mahogany Brown*
RAL 8016



Terra Brown
RAL 8028



Pale Brown*
RAL 8025



Adobe Stone
CS 0004



Gray Yellow
RAL 1019



Tarpaulin Gray
RAL 7010



Mouse Gray*
RAL 7005



Reed Green*
RAL 6013



Cement Gray*
RAL 7033



Moss Gray*
RAL 7003



Pebble Gray*
RAL 7032



Light Almond
CS 0002

SELECT POWDER COAT FINISHES

Martin's textured metallic powder coat finishes are long-lasting and durable.

METALLIC



Walnut Vein*
CS 3040



Mahogany Vein
CS 3050



Rusty Iron
CS 2005




New Copper
CS 2015



Olive Bronze*
CS 3025



Redwood*
CS 3065



Cherry Wood*
CS 3060




Corten
CS 4025



Copper Vein
CS 2010



Copper Gold
CS 3030



Mesquite*
CS 3055



Bronze
CS 4030



Oak Stone*
CS 1055



Tanzanite Metallic
CS 4020



Golden Oak*
CS 3035



Red Pine*
CS 3045



Sandcast Bronze
CS 3020



Bronze Metallic
CS 3015



Sage Metallic*
CS 4005



Patina Green*
CS 4010



Emerald Metallic*
CS 4015



Starlite Granite*
CS 1005



Desert Bronze
CS 3010




Weathered Iron
CS 1975



Silver Shadow
CS 1985



Antique Silver
CS 1980



Metallic Aluminum
CS 1035



Bright Stainless
CS 1030



Iron Glimmer
CS 1045



Ironstone Metallic
CS 1050



Metallic Pewter
CS 1040



Champagne Metallic
CS 3005

Available in high / low gloss.

Color samples will vary due to printer's color adjustments. For color accuracy see actual color chips.

All steel and copper doors have an embossed texture, unless ordered smooth.

Aluminum doors are smooth.

Insulation is required on powder coated doors.



Gray White*
RAL 9002

*May Require Additional Lead Time

ADDITIONAL OPTIONS

DOOR ACCESSORIES

Customized features make a Martin Garage Door a unique and individualized door. Martin's many unique options and security features bring style and functionality to any door.



Mail Slots
Available in brass or brushed aluminum.
*Cannot be painted.



Vents
Color matched with the rest of the door.



Outside T-Handle Lock
Chrome, brass or black.



Inside Side Latch Lock
(Padlock Not Included)



Vault Release
Allows you to open and close the door during power outage.

HARDWARE KIT

Beautiful matching hinges and handles add a touch charm to your garage door.

Magnetic Handles, Hinges and Clavos



Alluminum hardware can be powder coated.



Pinnacle 183 / True Bi-Directional Walnut Wood Grain Steel

COMPARISON CHART

	Premium Steel		Elite			
	Cornerstone	Martin Standard	Chalet	Copper	Athena	Pinnacle
Material						
High Tensile Steel	■	■	■		■	■
Steel + Wood Composite Overlay			■			
Extruded Aluminum					■	■
Copper				■		
Panels						
Short, Long, Grooved	■	■		■		
Ribbed	■			■		
Flush	■			■		
Special			■		■	■
Number of Sections to 7'						
4-Section	■	■		■		
Varies			■		■	■
Stiles						
Standard	■	■		■		
Wide	■			■		
Varies			■		■	■
Steel Windows						
Acrylic or Tempered Glass	■	■	■	■	■	■
Insulated Glass	■	■	■	■	■	■
Laminated Glass	■	■	■	■	■	■
Classic Windows						
Acrylic or Tempered Glass	■	■	■	■		
Insulated	■	■	■	■		
Gauge						
High Tensile Steel - 25		■				
High Tensile Steel - 24	■		■		■	■
Copper - 23				■		
Aluminum - 14					■	■
Color Options						
White Mist, Lt. Almond, Dk. Brown, Dsrst. Taupe	■	■	■		■	■
Black, Bronze	■		■		■	■
Powder Coat	■	■			■	■
Walnut, Ash, Weathered Grey Wood Grain Steel	■		■		■	■
Dark, Medium, White, Primed Wood Stains			■			
Insulation Value						
R8	■	■		■		
R14	■	■	■	■		
R18			■			
Varies					■	■
Warranty[†]						
Limited Lifetime	■		■	■	■	■
Limited 5 Year [*]		■				
5 Year Delamination Warranty			■			
Hardware, Hinges, Track & Roller						
Martin Standard Hardware Package	■	■				
Martin Premium Hardware Package	■	■	■	■	■	■
Galvanized Springs	■	■	■	■	■	■
Safety Joint	■	■	■	■	■	■
Tongue & Groove Joint	■	■		■		

[†] See manufacturer's written warranty for details and limitations. Classic Windows warranty is 3 years.

^{*} Martin Standard section 5-year warranty can be upgraded to premium hardware, which comes with a hardware lifetime warranty.

HARDWARE

Martin's hardware is long lasting, corrosion resistant, and has better safety features than industry standard.

Spring

Center-mount springs have a high risk of explosive discharge due to spring torque. Martin's side-mounted Safety Spring system helps prevent accidents from happening. Side or center-mount springs are available on all doors.

Track & Roller

Martin hardware comes with hemmed edges and reduced hole size to help prevent injury. Martin rollers have 11 sealed ball bearings, and are pre-lubricated for smooth use. Roller shields are used for additional finger safety.

Hinge

Martin's low-profile safety hinge premium reduces the gap between sections.


Lift Cable

Martin's thicker 1/8" (3mm) cable protects from breakage, making your door safer.


INDUSTRY STANDARD



- ⊖ Oil-tempered spring
- ⊖ 5,000 - 10,000 life cycle



- ⊖ 16 Gauge




- ⊖ 3/32" (2.4mm) thick
- ⊖ No loop protection

! WARNING
INJURY OR DEATH

MARTIN STANDARD



- ⊖ Galvanized Springs
- ⊖ 15,000 life cycle



- ⊖ 12 + 14 Gauge



- ⊖ 1/8" (3mm) thick
- ⊖ 2000 lbs. lift capacity
- ⊖ Extra loop protection

5 Year Warranty


MARTIN PREMIUM



- ⊖ Galvanized Springs
- ⊖ 30,000 life cycle



- ⊖ 16 Gauge Steel
- ⊖ Reverse Angle



- ⊖ 10 + 14 Gauge




- ⊖ 1/8" (3mm) thick
- ⊖ 2000 lbs. lift capacity
- ⊖ Extra loop protection

Lifetime Warranty*

* See manufacturer's written warranty for details and limitations.

† Some doors require only one spring due to weight.

MARTIN ADVANTAGE



How do other garage doors compare to Martin?

◀ These upgrades are included on most Martin garage doors, and are usually an up-charge or not included at all on companies doors.

Safety		Martin	Others
Items that help protect you from injury			
1. Side Spring Anchor Bracket		✓	—
2. Acrylic Panes for Windows		✓	—
3. Rolled Edges on Tracks		✓	✓
4. Rolled Edges, Stiles / Sections		✓	—
5. Roller Shields™†		✓	—
6. Round Corners on Brackets		✓	—
7. Rolled Edge Rev. Angle Shields†		✓	—
8. Safer Joint†		✓	—
9. Reduced Hole Sizes in Tracks		✓	—
10. Low Profile Safety Hinges		✓	—
11. Concealed Lift Cables		✓	—
12. De-burred Steel Parts		✓	—
13. Lock-on Bottom Roller Brackets		✓	—
Long Life			
A. Two Galvanized Torsion Springs†		✓	—
B. Hot-Dip Galvanized Steel		✓	—
C. Extruded Holes For Fastening Screws		✓	—
D. Hardened Fasteners		✓	—
E. Longer Stem Rollers†		✓	—
F. Minimum Four Sections High		✓	✓
G. 3-Layer Hinge, Stile, Section Fastening		✓	—
H. Higher Wind Load Ratings†		✓	—
I. Sealed Bearing Nylon Rollers†		✓	—
J. Commercial Grade Roller Brackets†		✓	—
K. Self-Adjusting Lift Cables		✓	—
L. Hardware Tested to 100,000 Cycles†		✓	—
M. Full Length Bottom Reinforcing Angle		✓	—
Convenience			
AA. Home Owners Information		✓	—
BB. Dry Wall Mount Certified†		✓	—
CC. 2" Wider Door Provides Weather-seal		✓	—

* Not applicable on Martin Standard

† Optional upgrade on some models



Martin Door Dealer Info

PATENTED DESIGN
Martin's steel garage door looks like wood, without the upkeep or cost.

Pinacle / 113 / H-Groove / Weathered Grey

AD-B16-10



2828 S 900 W, SLC, UT 84119 • 1(800)388.9310

WWW.MARTINDOOR.COM

MADE IN USA SINCE 1936

GO TO WWW.MARTINDOOR.COM TO DESIGN YOUR OWN DOOR